ANALYTICA CHIMICA ACTA, VOL. 224 (1989)

AUTHOR INDEX

Aggarwal, S.K.
—, Kinter, M., Wills, M.R., Savory, J. and Herold, D.A.
Determination of isotope ratios of chromium, nickel, zinc and copper by gas chromatography–mass spectrometry by using volatile metal chelates 83

Bayliff, S.W., see Frew, J.E. 39
Blanco, M.
—, Coello, J., Gené, J., Iturriaga, H. and Maspoch, S.
Use of diode-array detectors for the simultaneous spectrophotometric determination of calcium and magnesium by flow injection 23
Bonakdar, M.
— and Mottola, H.A.
Electrocatalysis at chemically modified electrodes. Detection/determination of redox gaseous species in continuous-flow systems 305.
Brochot, J.A.
— and Siddiqi, I.W.
Peroxidase-catalysed rupture of the C–F bond as an indicator reaction for enzyme immunoassay. Kinetic determination of human immunoglobulin G, α-fetoprotein and placental lactogen 329
Bukowsky, H., see Uhlemann, E. 47
Bussière, L.
—, Dumont, J. and Hubert, J.
Direct determination of calcium, copper, iron, magnesium, manganese and zinc in amniotic fluid samples using inductively coupled plasma–atomic emission spectrometry 73

Callejón Mochón, M., see Gustavo González, A. 109
Campi, G.L.
— and Ingle, Jr., J.D.
Automated standard addition for fluorimetric steady-state and reaction-rate measurements 225
Campi, G.L.
— and Ingle, Jr., J.D.
Fluorimetric reaction-rate method for the determination of aluminum with acid alizarin garnet R 363
Campi, G.L.
— and Ingle, Jr., J.D.
Monitoring and compensating for between-run temperature and pH variations in kinetic-based determinations 275
Cañete, F.
—, Ríos, A., Luque de Castro, M.D. and Valcárcel, M.
Analysis of gaseous samples by flow injection 127
Cañete, F.
—, Ríos, A., Luque de Castro, M.D. and Valcárcel, M.
Kinetics of ion-pair extraction in continuous flow systems 169
Cano Pavón, J.M.
—, Garcia de Torres, A., Ureña Pozo, M.E., Sanchez Rojas, F. and Cristofol Alcaraz, E.
Spectrofluorimetric determination of trace amounts of thorium 153
Christian, G.D., see Lacy, N. 373
Coello, J., see Blanco, M. 23
Connor, M.
—, O'Shea, T. and Smyth, M.R.
Reversed-phase liquid chromatographic separation of Fe(II) and Fe(III) as their respective 1, 10-phenanthroline and 5-sulphosalicylate complexes 65
Corcoran, C.A.
— and Rutan, S.C.
Kinetic detection method for thin-layer chromatography 315
Cristofol Alcaraz, E., see Cano Pavón, J.M. 153
Crouch, S.R., see Wentzell, P.D. 263
Cummings, R.H.
— and Pardue, H.L.
Kinetic study of competing first-order processes: simultaneous quantification of hemoglobin and methemoglobin in whole blood 351

De Benzo, Z.A., see de la Guardia, M. 123
De la Guardia, M.
—, Salvador, A., Gómez, M.J. and de Benzo, Z.A.
Rapid hydrolysis of benzodiazepines to benzophenones in a microwave oven 123
Dietrich, F., see Uhlemann, E. 47
Doretti, L., see Sturaro, A. 119
Dumont, J., see Bussière, L. 73

Efstathiou, C.E., see Hartofylax, V.H. 159
Engh, S.A.
— and Holler, F.J.
High-precision stopped-flow mixer for kinetic determinations 211
Evagorou, K.E., see Koupparis, M.A. 339

Fitzpatrick, C.P., see Rutan, S.C. 243
Frew, J.E.
—, Bayliff, S.W., Gibbs, P.N.B. and Green, M.J.
Amperometric biosensor for the rapid determination of salicylate in whole blood 39
Fuh, M.-R. S., see Zung, J.B. 235
Furusawa, M., see Ogi, M. 133

Garcia de Torres, A., see Cano Pavón, J.M. 153
Gené, J., see Blanco, M. 23
Gibbs, P.N.B., see Frew, J.E. 39
Gloe, K., see Uhlemann, E. 47
Gómez Ariza, J.L., see Gustavo González, A. 109
Gómez, M.J., see de la Guardia, M. 123
Gordon, G.
—, Yoshino, K., Themelis, D.G., Wood, D. and Pacey, G.E.
Utilisation of kinetic-based flow injection methods for the determination of chlorine and oxychlorine species 383
Green, M.J., see Frew, J.E. 39
Guiraúm Pérez, A., see Gustavo González, A. 109
Gustavo González, A.
—, Callejón Mochón, M., Gómez Ariza, J.L. and Guiraúm Pérez, A.
Solvent effects on the dissociation of bromopyridinium ions in *N*, *N*-dimethylformamide mixtures by electrochemical measurements 109

Hadjiioannou, T.P., see Hartofylax, V.H. 159
Hadjiioannou, T.P., see Koupparis, M.A. 339
Håkanson, H., see Olsson, L. 31
Hartofylax, V.H.
—, Efstathiou, C.E. and Hadjiioannou, T.P.
Kinetic study of the acid hydrolysis of sucrose and lactose and kinetic determination of sucrose using a periodate-selective electrode 159
Herold, D.A., see Aggarwal, S.K. 83
Hiiro, K., see Liu, J. 145
Holler, F.J., see Engh, S.A. 211
Hubert, J., see Bussière, L. 73

Ingle, Jr., J.D., see Campi, G.L. 225, 275, 363
Isshiki, K.
—, Sohrin, Y., Karatani, H. and Nakayama, E.
Preconcentration of chromium (III) and chromium (VI) in sea water by complexation with quinolin-8-ol and adsorption on macroporous resin 55
Iturriaga, H., see Blanco, M. 23

Johansson G., see Risinger, L. 13

Karatani, H., see Isshiki, K. 55
Karayannis, M.I., see Konidari, C.N. 199
Karayannis, M.I., see Wentzell, P.D. 263
Kiba, N.
—, Ogi, M. and Furusawa, M.
Flow-injection determination of L-tyrosine in serum with an immobilized tyrosinase reactor and fluorescence detection 133
Kinter, M., see Aggarwal, S.K. 83
Konidari, C.N.
— and Karayannis, M.I.
Kinetic and mechanistic study of the reduction of 2,6-dichlorophenol indophenol by dithionites 199
Koupparis, M.A.
—, Evagorou, K.E. and Hadjiioannou, T.P.
Automated stopped-flow system in phar-

maceutical and clinical analysis. Kinetic determination of acetaminophen in formulations and serum by using the iron(II)-2,4,6-tris(2-pyridyl)-*s*-triazine reaction 339

Kusuda, K.
—, Shiraki, K. and Miwa, T.
Analyses of traces of polycyclic aromatic hydrocarbons by adsorption on cobalt phthalocyanine and barium salts of sulphophthalocyanines followed by thermal desorption gas chromatography 1.

Lacy, N.
—, Christian, G.D. and Ruzicka, J.
Flow injection method for antimony(III) based on its enhancement of the molybdenum blue reaction 373

Larsson, J.A.
— and Pardue, H.L.
Algorithm for error-compensated kinetic determinations without prior knowledge of reaction order or rate constant 289

Lin, Y.-P., see Lo, J.-M. 139

Liu, J.
—, Masuda, Y., Sekido, E., Wakida, S.-I. and Hiiro, K.
Phosphate ion-sensitive coated-wire/field-effect transistor electrode based on cobalt phthalocyanine with poly(vinyl chloride) as the membrane matrix 145

Lo, J.-M.
—, Sun, H.-J., Lin, Y.-P. and Wu, K.-L.
Preconcentration of lead in biological matrices for graphite furnace atomic absorption spectrometry 139

Luque de Castro, M.D., see Cañete, F. 127, 169

Mandenius, C.F., see Olsson, L. 31
Maspoch, S., see Blanco, M. 23
Masuda, Y., see Liu, J. 145
Miwa, T., see Kusuda, K. 1
Mosler, H., see Uhlemann, E. 47
Mottola, H.A., see Bonakdar, M. 305
Mühl, P., see Uhlemann, E. 47

Nakayama, E., see Isshiki, K. 55

Ogi, M., see Kiba, N. 133
Olsson, L.
—, Mandenius, C.F. and Håkanson, H.
Determination of fructose using immobilized glucose isomerase in an on-line analyzer 31
O'Shea, T., see Connor, M. 65

Pacey, G.E., see Gordon, G. 383
Pardue, H.L., see Cummings, R.H. 351
Pardue, H.L., see Larsson, J.A. 289
Pardue, H.L., see Rutan, S.C. 243
Parvoli, G., see Sturaro, A. 119
Pascual, C.B.
— and Vicente-Beckett, V.A.
Electrochemistry of triphenyltin acetate at a mercury-film glassy carbon electrode 97
Pérez-Bendito, D., see Rubio, S. 185

Ríos, A., see Cañete, F. 127, 169
Risinger, L.
—, Johansson, G. and Thorneman, T.
Optimization of flow-through cells for dialysis and other membrane separations in flow-injection analysis using a laminar flow model 13
Rubio, S.
— and Pérez-Bendito, D.
Micellar media in kinetic determinations 185
Rutan, S.C., see Corcoran, C.A. 315
Rutan, S.C.
—, Fitzpatrick, C.P., Skoug, J.W., Weiser, W.E. and Pardue, H.L.
Comparison of the extended Kalman filter and Marquardt algorithms for processing kinetic data 243
Ruzicka, J., see Lacy, N. 373

Salvador, A., see de la Guardia, M. 123
Sanchez Rojas, F., see Cano Pavón, J.M. 153
Savory, J., see Aggarwal, S.K. 83
Sekido, E., see Liu, J. 145
Shiraki, K., see Kusuda, K. 1
Siddiqi, I.W., see Brochot, J.A. 329
Skoug, J.W., see Rutan, S.C. 243
Smyth, M.R., see Connor, M. 65
Sohrin, Y., see Isshiki, K. 55
Sturaro, A.
—, Doretti, L., Parvoli, G. and Traldi, P.
Determination of human toluene metabolites by mass spectrometry using a silicone membrane source 119

Sun, H.-J., see Lo, J.-M. 139

Themelis, D.G., see Gordon, G. 383
Thorneman, T., see Risinger, L. 13
Traldi, P., see Sturaro, A., 119

Uhlemann, E.
—, Bukowsky, H., Dietrich, F., Gloe, K., Mühl, P. and Mosler, H.
Extraktion von alkali- und erdalkalimetallionen mit (*sym*-dibenzo-14-krone-4-oxy)-und (*sym*-dibenzo-16-krone-5-oxy)-carbonsäuren. 47
Ureña Pozo, M.E., see Cano Pavón, J.M. 153

Valcárcel, M., see Cañete, F. 127, 169
Vicente-Beckett, V.A., see Pascual, C.B. 97

Wakida, S.-I., see Liu, J. 145
Warner, I.M., see Zung, J.B. 235
Weiser, W.E., see Rutan, S.C. 243
Wentzell, P.D.
— Karayannis, M.I. and Crouch, S.R.
Simultaneous kinetic determinations with the Kalman filter 263
Wills, M.R., see Aggarwal, S.K. 83
Wood, D., see Gordon, G. 383
Wu, K.-L., see Lo, J.-M. 139

Yoshino, K., see Gordon, G. 383

Zung, J.B.
—, Fuh, M.-R. S. and Warner, I.M.
Design and characterization of a fiber optic-based fluorimeter 235